

# WINDHAM COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
1A	UNADILLA SILT LOAM, 0 TO 3 PERCENT SLOPES	2	
1B	UNADILLA SILT LOAM, 3 TO 8 PERCENT SLOPES	2	
1C	UNADILLA SILT LOAM, 8 TO 15 PERCENT SLOPES	2	
1D	UNADILLA SILT LOAM, 15 TO 25 PERCENT SLOPES	2	b
1E	UDORTHENTS, STEEP	7	
2A	BELGRADE SILT LOAM, 0 TO 3 PERCENT SLOPES	4	
3B	QUONSET AND WARWICK SOILS, 2 TO 8 PERCENT SLOPES	1	
3C	QUONSET AND WARWICK SOILS, 8 TO 15 PERCENT SLOPES	1	
3D	QUONSET AND WARWICK SOILS, 15 TO 25 PERCENT SLOPES	1	b
3E	QUONSET AND WARWICK SOILS, 25 TO 70 PERCENT SLOPES	1	b
5B	WINDSOR LOAMY FINE SAND, 2 TO 8 PERCENT SLOPES	1	
5C	WINDSOR LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	1	
5D	WINDSOR LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES	1	b
5E	WINDSOR LOAMY FINE SAND, 25 TO 60 PERCENT SLOPES	1	b
9B	DEERFIELD FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES	4	
10A	AGAWAM VERY FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	1	
10B	AGAWAM VERY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	1	
11B	BERKSHIRE AND MONADNOCK FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES	2	
11C	BERKSHIRE AND MONADNOCK FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES	2	
11D	BERKSHIRE AND MONADNOCK FINE SANDY LOAMS, 15 TO 25 PERCENT SLOPES	2	b
12C	STRATTON-GLEBE COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	5	a
12D	STRATTON-GLEBE COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY	5	a, c
12E	STRATTON-GLEBE COMPLEX, 25 TO 50 PERCENT SLOPES, VERY ROCKY	6	
16B	ADAMS LOAMY FINE SAND, 2 TO 8 PERCENT SLOPES	1	
16C	ADAMS LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	1	
16D	ADAMS LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES	1	b
16E	ADAMS LOAMY FINE SAND, 25 TO 50 PERCENT SLOPES	1	b
17B	WORDEN LOAM, 3 TO 8 PERCENT SLOPES	4	
17C	WORDEN LOAM, 8 TO 15 PERCENT SLOPES	4	
18B	WORDEN LOAM, 3 TO 8 PERCENT SLOPES, VERY BOULDERY	4	
18C	WORDEN LOAM, 8 TO 15 PERCENT SLOPES, VERY BOULDERY	4	
18D	WORDEN LOAM, 15 TO 25 PERCENT SLOPES, VERY BOULDERY	4	c

## FOOTNOTES - see text

a - Areas with bedrock at less than 24 inches are not suitable.

b - This map unit has a slope limitation requiring site modification.

c - Areas with slope greater than 20 % are not suitable.

# WINDHAM COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
20B	TUNBRIDGE-LYMAN FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES, VERY ROCKY	5	a
20C	TUNBRIDGE-LYMAN FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, VERY ROCKY	5	a
20D	TUNBRIDGE-LYMAN FINE SANDY LOAMS, 15 TO 25 PERCENT SLOPES, VERY ROCKY	5	a, c
20E	TUNBRIDGE-LYMAN FINE SANDY LOAMS, 25 TO 50 PERCENT SLOPES, VERY ROCKY	6	
21B	MARLOW FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	3	
21C	MARLOW FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	3	
21D	MARLOW FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	3	c
22B	MARLOW FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	3	
22C	MARLOW FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	3	
22D	MARLOW FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	3	c
22E	MARLOW FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY	6	
23	ONDAWA FINE SANDY LOAM	6	
24	PODUNK FINE SANDY LOAM	6	
25B	WESTBURY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	4	
25C	WESTBURY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	4	
26B	WESTBURY FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	4	
26C	WESTBURY FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	4	
26D	WESTBURY FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	4	c
29	WALPOLE FINE SANDY LOAM	6	
31B	WILMINGTON VERY FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES, VERY STONY	6	
33	RUMNEY FINE SANDY LOAM	6	
34C	LYMAN-ROCK OUTCROP COMPLEX, 8 TO 15 PERCENT SLOPES	6	
34D	LYMAN-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES	6	
34E	LYMAN-ROCK OUTCROP COMPLEX, 25 TO 50 PERCENT SLOPES	6	
37	HADLEY SILT LOAM	6	
39	WINOOSKI SILT LOAM	6	
40	LIMERICK SILT LOAM	6	
41D	LONDONDERRY-STRATTON SILT LOAMS, 8 TO 25 PERCENT SLOPES, VERY ROCKY	6	
41E	LONDONDERRY-STRATTON SILT LOAMS, 25 TO 70 PERCENT SLOPES, VERY ROCKY	6	
43B	MUNDAL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	4	
43C	MUNDAL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	4	
43D	MUNDAL FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	4	c

FOOTNOTES - see text

a - Areas with bedrock at less than 24 inches are not suitable.

b - This map unit has a slope limitation requiring site modification.

c - Areas with slope greater than 20 % are not suitable.

# WINDHAM COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
44B	MUNDAL FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	4	
44C	MUNDAL FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	4	
44D	MUNDAL FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	4	c
44E	MUNDAL FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY	6	
46B	BERKSHIRE AND MONADNOCK FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES, VERY STONY	2	
46C	BERKSHIRE AND MONADNOCK FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, VERY STONY	2	
46D	BERKSHIRE AND MONADNOCK FINE SANDY LOAMS, 15 TO 25 PERCENT SLOPES, VERY STONY	2	b
46E	BERKSHIRE AND MONADNOCK FINE SANDY LOAMS, 25 TO 50 PERCENT SLOPES, VERY STONY	6	
47	LUPTON MUCKY PEAT	6	
48B	RAWSONVILLE-HOGBACK FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES ROCKY	5	a
48C	RAWSONVILLE-HOGBACK FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, ROCKY	5	a
48D	RAWSONVILLE-HOGBACK FINE SANDY LOAMS, 15 TO 25 PERCENT SLOPES, ROCKY	5	a, c
48E	RAWSONVILLE-HOGBACK FINE SANDY LOAMS, 25 TO 50 PERCENT SLOPES, ROCKY	6	
49B	HOUGHTONVILLE-RAWSONVILLE FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES, VERY BOULDERY	3	a
49C	HOUGHTONVILLE-RAWSONVILLE FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, VERY BOULDERY	3	a
49D	HOUGHTONVILLE-RAWSONVILLE FINE SANDY LOAMS, 15 TO 25 PERCENT SLOPES, VERY BOULDERY	3	a, c
49E	HOUGHTONVILLE-RAWSONVILLE FINE SANDY LOAMS, 25 TO 50 PERCENT SLOPES, VERY BOULDERY	6	
50B	COLTON LOAMY FINE SAND, 2 TO 8 PERCENT SLOPES	1	
50C	COLTON LOAMY FINE SAND, 8 TO 15 PERCENT SLOPES	1	
50D	COLTON LOAMY FINE SAND, 15 TO 25 PERCENT SLOPES	1	b
50E	COLTON LOAMY FINE SAND, 25 TO 60 PERCENT SLOPES	1	b
52A	SHEEPSCOT FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	4	
52B	SHEEPSCOT FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	4	
56B	MONADNOCK FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2	
56C	MONADNOCK FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2	
56D	MONADNOCK FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	2	b
56E	MONADNOCK FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY	6	
60B	HOUGHTONVILLE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	2	
60C	HOUGHTONVILLE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES	2	
60D	HOUGHTONVILLE FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	2	b
61B	HOUGHTONVILLE FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	2	
61C	HOUGHTONVILLE FINE SANDY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2	

FOOTNOTES - see text

a - Areas with bedrock at less than 24 inches are not suitable.

b - This map unit has a slope limitation requiring site modification.

c - Areas with slope greater than 20 % are not suitable.

# WINDHAM COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
61D	HOUGHTONVILLE FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	2	b
61E	HOUGHTONVILLE FINE SANDY LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY	6	
62	MARKEY MUCK	6	
63C	BERKSHIRE-TUNBRIDGE FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, VERY STONY	3	a
63D	BERKSHIRE-TUNBRIDGE FINE SANDY LOAMS, 15 TO 25 PERCENT SLOPES, VERY STONY	3	a, c
63E	BERKSHIRE-TUNBRIDGE FINE SANDY LOAMS, 25 TO 50 PERCENT SLOPES, VERY STONY	6	
64	UDIFLUVENTS, LOAMY	7	
65C	HOGBACK-RAWSONVILLE FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, VERY ROCKY	5	a
65D	HOGBACK-RAWSONVILLE FINE SANDY LOAMS, 15 TO 25 PERCENT SLOPES, VERY ROCKY	5	a, c
65E	HOGBACK-RAWSONVILLE FINE SANDY LOAMS, 25 TO 50 PERCENT SLOPES, VERY ROCKY	6	
66B	HOUGHTONVILLE-RAWSONVILLE FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES, ROCKY	3	a
66C	HOUGHTONVILLE-RAWSONVILLE FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, ROCKY	3	a
67B	BERKSHIRE-TUNBRIDGE FINE SANDY LOAMS, 3 TO 8 PERCENT SLOPES, ROCKY	3	a
67C	BERKSHIRE-TUNBRIDGE FINE SANDY LOAMS, 8 TO 15 PERCENT SLOPES, ROCKY	3	a
68D	TACONIC-HUBBARDTON-ROCK OUTCROP COMPLEX, 8 TO 25 PERCENT SLOPES	6	
68E	TACONIC-HUBBARDTON-ROCK OUTCROP COMPLEX, 25 TO 70 PERCENT SLOPES	6	
69C	MACOMBER-TACONIC COMPLEX, 8 TO 15 PERCENT SLOPES, VERY ROCKY	5	a
69D	MACOMBER-TACONIC COMPLEX, 15 TO 25 PERCENT SLOPES, VERY ROCKY	5	a, c
69E	MACOMBER-TACONIC COMPLEX, 25 TO 70 PERCENT SLOPES, VERY ROCKY	6	
70C	DUMMERSTON-MACOMBER COMPLEX, 8 TO 15 PERCENT SLOPES, VERY STONY	3	a
70D	DUMMERSTON-MACOMBER COMPLEX, 15 TO 25 PERCENT SLOPES, VERY STONY	3	a, c
70E	DUMMERSTON-MACOMBER COMPLEX, 25 TO 70 PERCENT SLOPES VERY STONY	6	
71B	DUMMERSTON SILT LOAM, 3 TO 8 PERCENT SLOPES	2	
71C	DUMMERSTON SILT LOAM, 8 TO 15 PERCENT SLOPES	2	
71D	DUMMERSTON SILT LOAM, 15 TO 25 PERCENT SLOPES	2	b
72C	DUMMERSTON SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	2	
72D	DUMMERSTON SILT LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	2	b
72E	DUMMERSTON SILT LOAM, 25 TO 70 PERCENT SLOPES, VERY STONY	6	
73B	FULLAM SILT LOAM, 3 TO 8 PERCENT SLOPES	4	
73C	FULLAM SILT LOAM, 8 TO 15 PERCENT SLOPES	4	
73D	FULLAM SILT LOAM, 15 TO 25 PERCENT SLOPES	4	c
74B	FULLAM SILT LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY	4	

## FOOTNOTES - see text

a - Areas with bedrock at less than 24 inches are not suitable.

b - This map unit has a slope limitation requiring site modification.

c - Areas with slope greater than 20 % are not suitable.

# WINDHAM COUNTY SEPTIC SYSTEM RATING CLASSES

1/2/97

MAP SYMBOL	MAP UNIT NAME	CLASS	FOOT NOTE
74C	FULLAM SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY	4	
74D	FULLAM SILT LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	4	c
74E	FULLAM SILT LOAM, 25 TO 35 PERCENT SLOPES, VERY STONY	6	
75B	BRAYTON SILT LOAM, 2 TO 8 PERCENT SLOPES, VERY STONY	6	
76B	DUMMERSTON-MACOMBER COMPLEX, 3 TO 8 PERCENT SLOPES, ROCKY	3	a
76C	DUMMERSTON-MACOMBER COMPLEX, 8 TO 15 PERCENT SLOPES, ROCKY	3	a
W	WATER, LESS THAN 40 ACRES	7	

FOOTNOTES - see text

- a - Areas with bedrock at less than 24 inches are not suitable.
- b - This map unit has a slope limitation requiring site modification.
- c - Areas with slope greater than 20 % are not suitable.